

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 September 2001 (13.09.2001)

PCT

(10) International Publication Number
WO 01/66078 A1

- (51) International Patent Classification⁷: **A61K 7/48**
- (21) International Application Number: **PCT/GB00/03948**
- (22) International Filing Date: 13 October 2000 (13.10.2000)
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
09/521,165 8 March 2000 (08.03.2000) **US**
- (71) Applicant: **BLOCK DRUG COMPANY, INC.** [US/US];
257 Cornelison Avenue, Jersey City, NJ 07302-3198 (US).
- (71) Applicant (for SD only): **WHALLEY, Kevin** [GB/GB];
Marks & Clerk, 57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).
- (72) Inventors: **BUELO, Adonis, R.**; 53 Washington Avenue,
Leonardo, NJ 07737 (US). **SYNODIS, Joseph, D.**; 66
Rotary Drive, Summit, NJ 07901 (US). **BILODEAU,**
William, N.; 60 E Rutherford Lane, Lavallette, NJ 08735
(US).
- (74) Agent: **ABLEWHITE, Alan, James**; Marks & Clerk,
57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **COSMETIC COMPOSITION HAVING IMPROVED ABSORPTION AND ADHESION CHARACTERISTICS**

(57) Abstract: A skin care, cosmetic or pharmaceutical composition having superior resistance to wash-off, comprises from 25 wt.% to 99 wt.% a powder carrier and 0.01 wt.% to 20 wt.% of a superabsorbent polymer, wherein the adherence to skin of said composition is improved as compared to an analogous composition not containing said superabsorbent polymer.



WO 01/66078 A1

COSMETIC COMPOSITION HAVING IMPROVED ABSORPTION AND ADHESION CHARACTERISTICS

Field of the Invention

5 The present invention relates generally to personal care and cosmetic compositions in powder form providing excellent moisture absorbency and adhesive properties. More particularly, the present invention relates to personal care and cosmetic compositions in powder form comprising superabsorbent polymers.

Background of the invention

10 Human skin secretes substances such as eccrine and apocrine sweat, and lipid-soluble sebum. Skin secretions provide food and a moist environment for microbes to proliferate, which may result in embarrassing body odor and even fungal or bacterial skin infections. Additionally, moisture from skin secretions can result in skin rashes and
15 other uncomfortable skin related disorders. Cosmetic skin and personal care powders have long been available to absorb moisture. Body powders have also been used extensively on babies to prevent diaper rash and to otherwise help promote dryness.

20 High-grade talc, which is a natural hydrous magnesium silicate, had for many years been used in the form of powder for application to the skin. Aside from talc, various other ingredients have also been proposed and utilized for body powders including starches, cellulose derivatives, polymeric substances and the like. Although many satisfactory talc and non-talc compositions are available through commercial channels, numerous attempts to develop improved body powder compositions have
25 been on-going. See for example, U.S. Patent No. 4,185,086 to Zeitx which teaches and claims a body powder composition comprising talc, fragrance and from about 0.1 to 1 wt. % polyethylene glycol. Since one of the primary purposes of a body powder is to absorb moisture, the effectiveness of the body powder is diminished when the powder has reached its capacity for absorbency.

30 U.S. Patent No. 5,417,963 to Murphy et al. discloses body and body powder compositions with enhanced deodorant and moist absorbency characteristics consisting

of from about 70 wt. % talc and the remainder comprising micro-crystallite particles of a bicarbonate salt coated with a hydrophobic polymer such as xanthan gum, carrageenan, alginate salt, guar gum, gum arabic, casein, dextran, agar, methyl cellulose, carboxymethyl cellulose, and the like.

Superabsorbent polymers are known and are mainly used in the production of diapers and incontinence articles as well as wound dressings. U.S. Patent No. 5,064,653 to Sessions et al. discloses the use of superabsorbent polymers in a foam composition for applications in sanitary napkins, diapers, and the like.

Superabsorbent polymers are also added in some cosmetic compacted powders to add in the absorbency. U.S. Patent No. 5,211,892 discloses the addition of superabsorbent polymers to pharmaceutical or cosmetic compacted powder comprising 5 to 80% of a thermoplastic product such as polyethylene wax to provide an absorbent or partially friable compacted product.

U.S. Patent No. 4,661,476 discloses the addition of superabsorbent polymers to skin lotion comprising about 75 to 99 wt. % water, to cool the surface of skin that has been overheated by excessive exposure to sun and/or wind. U.S. Patent No. 6,013,271 discloses the addition of superabsorbent materials to an oil-in-water dispersion which comprises from about 30 to 98.89 wt. % of water.

In finding a pharmaceutical, cosmetic skin, or personal care composition with greater absorbent properties, there has, according to the present invention, been discovered an unexpected and surprising benefit to superabsorbent polymers besides its inherent absorbent characteristics. It has been found that the addition of superabsorbent polymer compounds to pharmaceutical, cosmetic skin, or personal care compositions in loose powder form, besides providing the expected greater absorbent properties, surprisingly and unexpectedly promotes superior resistance to wash-off for better topical agent delivery.

SUMMARY OF THE INVENTION

According to the invention, there is provided a method to improve the resistance to wash-off characteristic of a skin care, cosmetic or pharmaceutical composition comprising from 25 wt. % to 99 wt. % (preferably from 25 wt. % to 95 wt. %) a powder carrier, by including in said composition from 0.01 wt. % to 20 wt. % of a superabsorbent polymer.

According to the invention there is further provided a skin care, cosmetic or pharmaceutical composition having superior resistance to wash-off characteristics, the composition comprising from 25 wt. % to 99 wt. % (preferably from 25 wt. % to 95 wt. %) a powder carrier and from 0.01 wt. % to 20 wt. % of a superabsorbent polymer, wherein the adherence to skin of said composition is improved as compared to an analogous composition not containing said superabsorbent polymer.

The skin care, cosmetic or pharmaceutical composition is preferably in loose powder form. In particular, the composition is preferably in loose powder form when it is a cosmetic composition.

DETAILED DESCRIPTION OF THE INVENTION

The compositions of the present invention comprise one of a number of superabsorbent polymers combined with several other ingredients well-known in the cosmetic, skin care, or pharmaceutical art. It has surprisingly been found that superabsorbent polymers, when added to the composition of the present invention, surprisingly and unexpectedly provide and promote resistance to wash-off of the compositions from the skin.

Binder superabsorbent polymers. Superabsorbent polymers are water-insoluble, crosslinked, high molecular weight polymers capable of absorbing and retaining large quantities of aqueous fluids. These polymers are well known in the art by a few other names such as hydrogels, hydrocolloids, water absorbent hydrophilic polymers, etc. In general, these super-absorbent polymers are wide-mesh crosslinked, water-insoluble polymers based on alkali metal salts of polyacrylic acid or copolymers of alkali metal

salts of acrylic acid and acrylamide which are obtained by radical-initiated copolymerization of acrylic acid and polyfunctional monomers, such as divinylbenzene, ethylene glycol dimethacrylate, ethylene glycol diallylether, butanediol acrylate, hexanediol methacrylate, polyglycol diacrylate, trimethylol propane diacrylate, allyl acrylate, diallyl acrylamide, triallylamine, diallylether, methylene bis-acrylamide and N-methylol acrylamide. By virtue of their structure, polymers of this type are capable of absorbing large quantities of liquids, swelling and forming hydrogels in the process, and of retaining them, even under pressure.

Superabsorbent polymers include but are not limited to cross-linked polyacrylamide copolymer, sodium polyacrylate, starch-graft copolymer, hydrolyzed starch acrylonitrile copolymer, cross-linked polyacrylamide copolymer, and other water-swellaable, and/or water absorbing agents.

Superabsorbent polymers which have been found suitable for the compositions of the present invention are hydrolyzed starch-polyacrylonitrile graft copolymer salts, commercially available from Grain Processing Corporation under the trademark Waterlock®. These polymers have the chemical name starch-g-poly(2-propenamide-co-2-propenoic acid, mixed sodium and aluminum salt). Another suitable example is poly-2-propenoic acid, sodium salt, commercially available from Sanyo Corp. The superabsorbent polymer may be used alone, or in combination to achieve the desired absorptivity and adhesion characteristics in the compositions.

The superabsorbent polymers are added to the composition in an amount of from 0.01 wt. % to 20 wt. %. Preferably these are added in an amount of from 5 to 15 wt. % and more preferably in an amount of about 10 wt. %.

Powder Carrier. The superabsorbent polymer is then combined with a typical powder carrier which comprises the bulk of the composition of the present invention. Powder carriers include but are not limited to starch or flour. Typical sources for the starches and flours are cereals, tubers, roots, legumes and fruits. The native source can be corn, white corn, pea, potato, sweet potato, banana, barley, wheat, rice, sago,

amaranth, tapioca, sorghum, waxy maize, waxy tapioca, waxy pea, waxy wheat, waxy rice, waxy barley, waxy potato, waxy sorghum, high amylose starches containing greater than 40% amylose, and the like. Preferred starches are potato, corn, rice, oat, and waxy starches such as waxy maize, waxy tapioca, waxy rice, and waxy barley, legume starches, soy starch, turnip starch, microcrystalline cellulose, aluminum starch octenyl succinate, kaolin, and mixtures thereof.

A most preferred powder carrier is cornstarch, which consists of a carbohydrate polymer derived chiefly from waxy maize corn. In a form of a white powder, it rapidly swells in water.

Powder carriers typically comprise from 25% to 99%, preferably from 30% to 80%, more preferably from 35% to 75%, and most preferably from 40% to 70%, by weight of the composition.

Optional Anti-caking and Anti-clustering agents. Optional anti-clustering / anti-caking agents are selected from the group comprising calcium phosphates (e.g., calcium triphosphate), aluminum calcium sulfate, silicas (or silicon dioxide), silicates, carbonates and mixtures thereof. The anti-clustering / anti-caking agent also acts as a buffer and is incorporated in the body powder in amounts of from about 0.1 to 2 wt. % and preferably in an amount of from about 1 to 1.5 wt. %. In addition to the typical anti-caking and anti-clustering agents, hydrophobic silicon dioxide can be also added in an amount of preferably 0.1 to 2% by weight to further impart free-flowing properties to the composition.

Other Optional Ingredients. The compositions of the present invention may also contain compounds which function as anti-bacterial agents to combat bacteria which cause diaper rash, perspiration odor and/or athlete's foot in personal care applications. The anti-bacterial compounds may be present in an anti-bacterially effective amount of from 0.025 to 2% by weight, preferably 0.05 to 1% by weight. Examples of suitable anti-bacterial compounds are 8-hydroxyquinoline, methylbenzethonium chloride, benzethonium chloride, benzalkonium chloride, and the like.

The compositions of the present invention also optionally include skin aids. The term "skin aids," as used herein, refers to skin protectants, emollients, moisturizers, astringents, and antioxidants. Preferred skin protectants are corn starch, kaolin, mineral oil, sodium bicarbonate, dimethicone, zinc oxide, colloidal oatmeal, and mixtures thereof. When present, the skin protectants comprise from about 0.1% to about 80%, preferably from about 0.1% to about 30%, most preferably from about 0.1% to about 10%, by weight of the composition.

Typical emollients and moisturizers useful in the present invention are tocopherol, tocopheryl acetate, aloe, mineral oil, jojoba oil, and mixtures thereof. When present, the emollients/moisturizers comprise from about 0.1% to about 50%, preferably from about 0.1% to about 25%, most preferably from about 0.1% to about 10%, by weight of the composition.

Antioxidants useful in the present invention include retinol, retinyl acetate, and retinyl palmitate, and more preferred, encapsulated antioxidants. Optional antioxidants comprise up to about 25%, preferably from about 0.1% to about 10%, by weight of the composition.

The compositions may further contain zinc oxide in baby powder applications for the relief of skin rash and chafing in addition to acting as a whitening agent and also imparting astringent properties. The zinc oxide may be present in an amount of 1 to 30% by weight, preferably 5 to 20% by weight of the composition.

The perfumes which are useful in the present invention are any commercial perfumes which result in the fragrance desired by the formula. Commercial perfumes are mixtures of many components and these components all contribute to the particular fragrance which is characteristic of the mixture. Examples of typical perfume which can be formulated to make up a particular pleasant aroma include lemon oil, musk ketone, ionone, diphenyl oxide, cedarwood-terpeneless; geranyl acetate; ylang ylang oil; cedryl acetate, isoeugenol; cinnamic alcohol, aurantheol, methyl anthranilate; vanillin,

oil bergamot, eugenol; oil of cananga; citral; tetrahydro linalool; oil patchouly, methyl isoeugenol; hexylcinnamic aldehyde; resal oilbanum, resin balsam fir; musk aurbrette, resin balsam Peru; oil sandalwood, geraniol; terpenyl acetate, benzyl isoeugenol; oil copaiba; oil nutmeg, rhodinol; diphenyl methane; hydroxycitronellal; methyl benzoate; benzyl propionate; oil palmarose; oil orange, oil geranium; methyl gamma ionone; oil of lavender; and mixtures thereof.

The perfume is typically utilized in an amount of from 0.005 to 1 wt. % of the total composition, preferably from about 0.1 to 0.3 wt. %.

In addition to perfumes and when used as a body / baby powder, the composition of the present invention may optionally include odor control agents such as uncomplexed cyclodextrin, zeolites, carbon odor-controlling agents, sodium bicarbonates, and/or antimicrobial agents for added body odor control.

When used as in body / baby powder applications, the composition of the present invention may be specially formulated to provide good skin feel characteristics, by further comprising skin feel components in an amount of up to 50% by weight of the composition. "Skin feel components," commonly refer to three groups of ingredients which are 1) stearates and/or fatty acid derivatives, 2) spherical particles, and 3) platelet-shaped particles. Stearates and/or fatty acid derivatives useful herein include metallic stearates such as magnesium stearate or zinc stearate, and similar fatty acid derivatives such as fatty acid esters which possess unctuous, oily characteristics. Spherical particles useful herein include nylon, polyethylene, and polytetrafluoroethylene. Platelet-shaped particles which are useful herein include mica, talc, lauroyl lysine, boron nitride, and barium sulfate.

The compositions comprising superabsorbent polymers of the present invention may also, optionally, be utilized as topical active carrier systems. Suitable topical active ingredients include anti-microbials; anti-fungals; topical analgesics and anesthetics; anti-inflammatories; protectants; astringents; anti-septics such as benzethonium chloride; skin moisturizer compounds such as lauryl lysine, waxes,

petroleum jelly and oils; skin treatment compounds such as alpha hydroxy acids; anti-oxidants; medicinals such as camphor, zinc oxide and sulfur; among others, including vitamins such as vitamin A, D and E, in amounts ranging from about 0.1% to about 50% by weight of the final compositions.

Other components typically found in pharmaceutical, cosmetic and personal care applications including both inert and active agents can be added if desired, such as dyes, colorants, and/or preservatives, for visual appeal and performance impression.

Preparation. The compositions of the present invention can be conveniently prepared in the form of dusting powders, liquid body powders, stick forms or cream forms. A most preferred application form is a dusting powder for the application to the skin.

The compositions of the present invention can be prepared by well-known mixing or blending procedures using a commercial blender. The superabsorbent polymer and optional additives can be pre-mixed and then blended directly into the powder carriers and other ingredients or through a liquid addition bar.

EXAMPLES The following examples are provided to more fully set forth some preferred formulations of the compositions of the present invention. They are provided in order to further illustrate, and in no way to limit the scope of, the invention.

Example 1. Powder compositions were prepared as follows:

	Example 1	Comparative example
Corn starch	85	85
Sodium polyacrylate	13 g	0 g
Tribasic Calcium phosphate	1.5 g	1.5 g
Lemon oil	0.5 g	0.5 g

About 0.3 g of the formulated powder with sodium polyacrylate was placed on a human forearm and spread by hand in about one inch by six-inch strip. Another 0.3 g sample of powder without the super absorbent polymer was applied to the other forearm in the same manner. Water was added to powder on the forearm by means of a spray

water bottle. Most of the powder without the superabsorbent polymer was washed off the skin by the fine spray of water. This experiment was repeated for the formula with superabsorbent polymer added with excellent adhesion of the powder. The addition of the superabsorbent polymer resulted in gel-like matrix that could not be removed except by mechanical means.

Example 2. Compositions were prepared as follows:

	Example 2	Comparative Example
Corn starch	95 g	95 g
Hydrolyzed starch acrylonitrile	2.5 g	0
Tribasic calcium phosphate	1 g	1 g
Zinc oxide	0.5 g	0.5 g
Sandlewood oil	1 g	1 g

The formulated powder was liberally applied to buttocks and thighs of an infant suffering from diaper rash. The composition of Example 2 visibly adhered to the skin better and for a much longer period of time as compared to a comparative example without any superabsorbent polymers added. Within a period of three days, the rash completely cleared up. There was not evidence in any instance of the caking of the powder on the skin, nor there was any sign of irritation of the portions of the infant's skin treated with the composition of the present invention.

Example 3. A formulation for a liquid powder of the present invention with excellent adhesion properties can be prepared by mixing melted petroleum jelly with decamethylcyclopentasiloxane, and then adding the resulting colloidal mixture to corn starch to form a liquid body powder mixture according to the formula:

	Example 3
Corn starch	225 g
Hydrolyzed starch acrylonitrile	5 g
Decamethylcyclopentasiloxane	225 g
Petrolatum USP	0.5 g
Sandalwood oil	1 g

Example 4. A face powder with superior adhesion properties compared to a comparative product which does not contain any superabsorbent polymers can be prepared using the following formulation:

	Example 4
Mica	40 g
Hydrolyzed starch acrylonitrile	2.5 g
Red iron oxide	0.1 g
Liquid paraffin	4 g
Perfume	0.1 g
Talc	to 100 g

CLAIMS

1. A method of improving resistance to wash-off of a composition selected from the group consisting of a skin care composition, a cosmetic composition, and a pharmaceutical composition, said composition comprising from 25 wt. % to 99 wt. % of a powder carrier, said method comprising including in said composition from 0.01 wt. % to 20 wt. % of a superabsorbent polymer,

wherein the resistance to wash-off from skin of said composition is improved as compared to an analogous composition not containing said superabsorbent polymer.

2. A method according to claim 1, wherein said superabsorbent polymer is included in an amount of from 5 wt. % to 15 wt. %.

3. A method according to claim 1 or claim 2, wherein said superabsorbent polymer is selected from the group consisting of: cross-linked polyacrylamide copolymer, sodium polyacrylate, starch graft co-polymer, hydrolyzed starch acrylonitrile copolymer, cross-linked polyacrylamide copolymer, natural gums, synthetic gums, hydrocolloids, cellulose and its derivatives and mixtures thereof.

4. A method according to claim 3, wherein said superabsorbent polymer is a hydrolyzed starch-polyacrylonitrile graft copolymer salt.

5. A method according to any of claims 1 to 4, wherein said composition is a skin care composition comprising from 25 wt. % to 95 wt. % of a starch powder carrier.

6. A method according to any of claims 1 to 4, wherein said composition is a cosmetic face powder composition comprising from 25 wt. % to 95 wt. % of a starch powder carrier.

7. A method according to claim 5 or claim 6, further comprising up to 50 wt. % of talc.

8. A method according to any of claims 1 to 4, wherein said composition is a pharmaceutical powder composition further comprising at least a topically active ingredient selected from the group consisting of: anti-microbials; anti-fungals; topical analgesics and anaesthetics; anti-inflammatories; and mixtures thereof.

9. A method according to any of claims 5 to 7, wherein said starch is corn, white corn, pea, potato, sweet potato, banana, barley, wheat, rice, sago, amaranth, tapioca, sorghum, waxy maize, waxy tapioca, waxy pea, waxy wheat, waxy rice, waxy barley, waxy potato, waxy sorghum, or a starch having an amylose content of 40% or greater.

10. A composition selected from the group consisting of a skin care composition and a pharmaceutical composition comprising:

(a) from 25 wt. % to 95 wt. % of a starch powder carrier; and

(b) from 0.01 wt. % to 20 wt. % of a superabsorbent polymer;

wherein the resistance to wash-off from skin of said personal care composition is improved as compared to an analogous composition not containing said superabsorbent polymer.

11. A composition according to claim 10, further comprising up to 50 wt. % of talc.

12. A composition according to claim 10 or claim 11, wherein said superabsorbent polymer is selected from the group consisting of: cross-linked polyacrylamide copolymer, sodium polyacrylate, starch graft co-polymer, hydrolyzed starch acrylonitrile copolymer, cross-linked polyacrylamide copolymer, natural gums, synthetic gums, hydrocolloids, cellulose and its derivatives, and mixtures thereof.

13. A composition according to any of claims 10 to 12 in the form of a body powder.

14. A composition according to any of claims 10 to 12 in the form of a body powder.

15. A composition according to any of claims 10 to 14, wherein said starch is corn, white corn, pea, potato, sweet potato, banana, barley, wheat, rice, sago, amaranth, tapioca, sorghum, waxy maize, waxy tapioca, waxy pea, waxy wheat, waxy rice, waxy
5 barley, waxy potato, waxy sorghum, or a starch having an amylose content of 40% or greater.

16. A composition according to any of claims 10 to 15 in the form of a semi-solid.

10 17. A composition according to any of claims 10 to 16, further comprising at least an additive selected from the group consisting of preservatives, stabilizers, anti-caking agents, topically active ingredient, dyes, colorants, and mixtures thereof.

18. A composition according to claim 17, wherein said topically active ingredient is
15 selected from the group consisting of anti-microbials, anti-fungals, anti-inflammatories, topical analgesic, topical anesthetics, skin moisturizer compounds, protectants, astringents and mixtures thereof.

19. Use of a superabsorbent polymer in a method of improving the resistance to
20 wash-off of a composition selected from the group consisting of a skin care composition, a cosmetic composition, and a pharmaceutical composition, said composition comprising from 25 wt. % to 99 wt. % of a powder carrier, said method comprising including in said composition from 0.01 wt.% to 20 wt.% of said superabsorbent polymer, whereby the resistance to wash-off from skin of said
25 composition is improved as compared to an analogous composition not containing said superabsorbent polymer.

20. Use according to claim 19, wherein said superabsorbent polymer is included in an amount of from 5 wt % to 15 wt. %.

30 21. Use according to claim 19 or claim 20, wherein said superabsorbent polymer is selected from the group consisting of: cross-linked polyacrylamide copolymer, sodium

polyacrylate, starch graft co-polymer, hydrolyzed starch acrylonitrile copolymer, cross-linked polyacrylamide copolymer, natural gums, synthetic gums, hydrocolloids, cellulose and its derivatives and mixtures thereof.

5 22. Use according to claim 21, wherein said superabsorbent polymer is a hydrolyzed starch-polyacrylonitrile graft copolymer salt.

23. Use according to any of claims 19 to 22, wherein said composition is a skin care composition comprising from 25 wt. % to 95 wt. % of a starch powder carrier.

10

24. Use according to any of claims 19 to 22, wherein said composition is a cosmetic face powder composition comprising from 25 wt. % to 95 wt. % of a starch powder carrier.

15

25. Use according to claim 23 or claim 24, further comprising up to 50 wt. % of talc.

20

26. Use according to any of claims 19 to 22, wherein said composition is a pharmaceutical powder composition further comprising at least a topically active ingredient selected from the group consisting of: anti-microbials; anti-fungals; topical analgesics and anaesthetics; anti-inflammatories; and mixtures thereof.

25

27. Use according to any of claims 23 to 25, wherein said starch is corn, white corn, pea, potato, sweet potato, banana, barley, wheat, rice, sago, amaranth, tapioca, sorghum, waxy maize, waxy tapioca, waxy pea, waxy wheat, waxy rice, waxy barley, waxy potato, waxy sorghum, or a starch having an amylose content of 40% or greater.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 00/03948

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 272 514 A (SPENCE) 9 June 1981 (1981-06-09) column 3, line 60 -column 4, line 14 claims 1,2,5,7,9 ---	1-27
X	FR 2 384 493 A (STIEFEL LABORATOIRES INC.) 20 October 1978 (1978-10-20) claims 1,5-2; examples 1-6 ---	1-4, 19-22
X	DATABASE WPI Week 198525 Derwent Publications Ltd., London, GB; AN 1985-149123 XP002157853 & JP 60 081120 A (SHISEIDO CO. LTD.), 9 May 1985 (1985-05-09) abstract --- -/--	1-3, 19-21

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

19 January 2001

Date of mailing of the international search report

30/01/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Alvarez Alvarez, C

INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/GB 00/03948

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p> DATABASE WPI Week 199304 Derwent Publications Ltd., London, GB; AN 1993-030479 XP002157854 & JP 04 356415 A (KAO CORP.), 10 December 1992 (1992-12-10) abstract ----- </p>	<p> 1-3, 19-21 </p>

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No

PCT/GB 00/03948

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4272514	A	09-06-1981	NONE	
FR 2384493	A	20-10-1978	AU 3439578 A CA 1104937 A DE 2812652 A GB 1573854 A	27-09-1979 14-07-1981 28-09-1978 28-08-1980
JP 60081120	A	09-05-1985	JP 1859718 C JP 5072362 B	27-07-1994 12-10-1993
JP 4356415	A	10-12-1992	NONE	